




InGlazia® blinds, where size matters

Expand the time you can spend on your glazed balcony or in your conservatory and make them an extra room to your house!

With inGlazia® blinds you can easily regulate

the light and your privacy.







InGlazia® 15mm Pleated blind

Move the blind effortlessly by pushing the main profile or by using handles or a control wand from the top down or bottom up.

You can fix the inGlazia blinds to door or window frames by using the frame clip bracket.

InGlazia® Pleated blinds allow your doors to slide smoothly!



Color options





PROFILES AND END CAPS

- 3 color options
- White
- Light grey
- Black

HANDLE

3 color options

- White
- Light grey
- Black

ROOF BLIND

System with side channels Operation with control wand Max length 320cm No tension wires to install



FABRICS

4 types of fabric

- inGlazia® Basic Daylight For daylight control and privacy
- inGlazia® Basic Blackout For blackout and heat control
- inGlazia® HiFlex Screen-like look with high reflection values due to the pearl back
- inGlazia® Nordic Nice transparency combined with good reflection values









Operation





MANUAL

inGlazia® 15mm

- Easy to operate by hand
- Profile design fitted for fingers



HANDLE

inGlazia® 15mm

- Adjustable position
- Clicks into profile
- Easy to remove

CONTROL WAND

inGlazia® 15mm


- Use with extra high blinds
- Effortless to use
- Slim design and light weight

Installation

UNIVERSAL BRACKET

Fix to glass

- Fast fix directly to glass
- Universal fits all glass panels
- Three glass thicknesses 6 mm, 8 mm and 10 mm
- Long version available for corner installations





FRAME BRACKET

Fix to frame

- Easy fix with screw to the frames
- Blinds up to max. size 2,7 m²
- Used in doors and windows with frames






ROOF

System with side channels


- All fabrics possible to use
- Operation with control wand
- Max length 320cm






Exploded view

WINDOW BLIND AND BALCONY BLIND



Exploded view

ROOF BLIND



- Side channel roof blind
- Pleated main profile 15 mm
- Cover profile 15 mm pleated
- Fabric mounting strip w. tape 15mm
- End plug roof blind side channel
- 6 End cap, 15 mm pleated main profile
- 7 Tension spring 0,5x4x40 rst
- Cord tensioner 15 mm pleated
- 9 Plastic eyelet, Nylon
- Pull cord JK 0,8 mm
- Pleated fabric 15mm


Additional features:

- Brush tape 4,8 x 7 mm light grey
 - Operating wand 1,5m roof blind

MAXIMUM BLIND SIZE



main profile



• Max roof blind size: length 320cm

Domicet Oy

Rahkasammaleenkatu 6 20780 Kaarina Finland

Tel. +358 (0) 2 2766 366 info@domicet.fi

Effortless to [co]operate

